

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 28, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-4901406, issued to CNX GAS COMPANY LLC , is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext, 1654.

1/8

James Martin

Chief

Operator's Well No: L-48

Farm Name: VALONIS, WILLIAM

API Well Number: 47-4901406

Permit Type: Plugging
Date Issued: 10/28/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-	4B
(Rev.	6-07)

1) Date: October 11, 2013
2) Operator's Well Number
L-48
3) API Well No.: 47 - 049 - 01406
State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FOR A PERMIT TO PLUG AND ABANDON

	FOR A PERIVI	II TO PLUG A	ND ABANDON			
4) Well Type: Oil (If "Gas", Prod		_ / Liquid inje erground storage		Waste disposa / Shallo		_
5) Location:	Elevation 1161'	Watershed				
	District Mannington	County	Marion 49		lannington, /V- PA 7.5'	45
6) Well Operator	CNX Gas Company, LLC	7)	Designated Agent	Jeremy Jones		
Address	200 Evergreene Dr	-	Address	1 Dominion Dri	ve	
	Waynesburg, PA 15370	-		Jane Lew, WV	26378	
8) Oil and Gas Ins	pector to be notified	9)	Plugging Contractor			
Name	Bill Hendershot		Name	Daybrook Deve	elopment	
Address	403 James Street		Address	2656 Daybrook		
	Mannington, WV 26582			Fairview, WV 2	6570-8592	
The wellbore will be cleaned out to the total depth or attainable bottom. From the total depth or attainable bottom to the surface, all casing will be removed so that only a single string will be left in the wellbore, if it cannot be removed. Intact and uncemented casing as determined by electronic logging shall be perforated, ripped, or milled at no greater than 100 ft. intervals from total depth or attainable bottom, to the top of the casing. A borehole survey will be conducted to determine the top and bottom of any mineable coal seam. In addition, starting at a point 5 ft. below through 5 ft. above any mineable coal seam, and casing shall be ripped, cut, or perforates on no greater than 5 ft. intervals. Circulation will have been established using gelled water to the clean out depth. Expanding cement will be placed from the total depth or attainable bottom to 100 ft. above any mineable coal seam. From that point to the surface, a light cement mixture shall be used to fill the wellbore. (continued on next page)						
				OCT 28 2013		
Notification must be	given to the district oil and	gas inspector 24	hours before perm	V Dapartment conmental Prot nitted work can c	of ection ommence.	•
Vork order approved	d by inspector	n pludus	the state of the s	Date _/c	0-12-1	3

The existing access road will be used for this well work.

The plugging will comply with the West Virginia Code Chapter 22-6-6 (Soil Erosion Control Plan) and 22-6-30 (Reclamation Requirements) and the West Virginia Erosion And Sediment Control Field Manual as published by the WVDEP Office of Oil and Gas. A well maker at least 30" in height or buried below plow depth will be installed containing the following: API number, site number, Consol Coal Company, and the date plugged.

CEMENT PLUGS MUST BE CLASS A CEMENT WITH NO MORE THAN 3% CACIZ AND NO OTHER ADDITIVES, HOWEVER, THERE IS AN EXCEPTION WHERE EXPANDING CEMENTS ARE USED.

J.Mm

Office of Oil and Gas

OCT 22 2013

WV Department of Environmental Protection ww-5(B)

CONVERSION OF VENT HOLE TO PRODUCTION WELL.

Page 3 of 3 49-01406P

CONSOLIDATION COAL COMPANY 1800 WASHINGTON ROAD PITTSBURGH PA

WELL NUMBERL-48	MINE Loveridge
DATE STARTED July 1983	DATE COMPLETED July 1983
CONTRACTOR ?	
TOTAL DEPTH OF HOLE 900 [In Feet]	(APPROX)
CASING IN HOLE: SLOTTED [In Feet]	300
Surface 5-1/2-INCF	20 900
PACKER SIZE	3' 6"
CEMENT 280	[SKS]
	OR SIN
COAL SRAM 890'	1 - 3 RECEIVED Gas OCT 92200
	NV Department of Environmental Protection

WW-	4A
(Rev.	6-07)

1) Date: October 4, 2013

3) API Well No.:

2) Operator's Well Number

L-48

47 -

State

049 County 01406 Permit

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

	22.7	NOTICE	AND APPLICAT	ION FOR A W	ELL WORK PERMIT	
4)		er(s) to be serve		Coal Operator		
	(a) Name	William Va		Name	Consolidation Coal Company	W
	Address	171 Rady I	Peek Hollow Ro	Address	1000 Consol Energy Drive	
				_	Canonsburg, PA 15317	
	(b) Name	Manningtor	1, WV 26582	(b) Coal Own	er(s) with Declaration	/
	Address			Name	Consolidation Coal Company	W
		/		Address	1000 Consol Energy Drive	
					Canonsburg, PA 15317	
	(c) Name			_ Name		
	Address		/	Address		
			/			
	Inspector	Bill Hendersho		_ ` '	ee with Declaration	
	Address	403 James St		_ Name		
		Mannington, V	VV 26582	_ Address	,	
	Telephone			_		
_						
TO	THE PERSOI	NS NAMED ABO	OVE TAKE NOTICE T	HAT: You should h	ave received this Form and the following	documents:
	(1) The appli	ication to Plug and A	shandon a Well on Form W	W-4R which sets out	the parties involved in the work and describe	es the well its
	and the p	olugging work order;	and		the parties involved in the work and describe	is the well its
(2) The play (surveyor's map) showing the well location on Form WW-6.						
The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverse side. However, you are not required to take any action at all.						
Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed the Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this notice, the Application, and the plat have been mailed by register or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.						
			Well Operator	CNX Gas Compa	ny LLC / / R//	
CO	MONWEALTH OF	PENNSYLVANIA	By:	Sarah Baughman		1
	Notarial S		Its:	Permitting Super		
	Lori L. Walker, No Richhill Twp., Gre	ene County	Address	200 Evergreene D		
M	y Commission Expire	s Feb. 23, 2015	* 1 1	Waynesburg, PA	15370	
CMBE	K, PENNSYLVANIA ASSO	CIATION OF NOTARIES	Telephone	724-6271229	0 1	ma('
m	MMONWED	Uty of Pen	nsylvanua		County	of triens
		orn before me this	1 11:	()ctobe	1 , 201B	LINE COLUMN
	da	12/1	W.C.			325
		ull Ull	XIVI	1016	Notary Public Of On All Andrews	-19th
My	Commission Ex	pires	followy 23,	2015	Omus	
			1		UCI (1213-	U - E
Oil a	and Gas Privacy N	lotice			00, 2	S = 3

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Officer at depprivacyofficer@wv:gov.

WW-4B

API No.	47-049-01406
Farm Name	
Well No.	L-48

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator names on the obverse side of the WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less than five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil and Gas.

This notice and application is given to you in order that your respective representative may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: if you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner or Lessee for plugging" prior t the issuance of this plugging permit.

WAIVER

The undersigned coal operatorX_under this well location has examined this proposed to be done complied with all applicable requirements of regulations.	oposed plugging work order. The undersigned has e at this location, provided, the well operator has
Romin Vanual Date 10.4% Signature	Rowie Hack-Constitution Coul Co. By Rowin Name RECEIVED Coul Co. Office of Oil and Gas OCT 22 2013 WV Department of Environmental Protection

WW-9 Rev. 5/08


	Page		of	
API Number 47 -	049	-	01406	C
Operator's Well N	o. L-48			


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name CNX Gas Cor	npany, LLC	OP Cod	de 494458046	
Watershed Flat run of Pyles F	ork Creek	Quadrangle Manningt	on	_
Elevation 1161'	County Marion	Distr	_{ict} Mannington	_
Description of anticipated Pit Was	ste: N/A - will use mud	trucks to contain all	drilling muds	_
Will a synthetic liner be used in th	ne pit? N/A .			
Reuse Off Sit				_)
Proposed Work For Which Pit Wing Drilling Worko	g	Swabbing Plugging		
on August 1, 2005, by the Office provisions of the permit are enfollaw or regulation can lead to enfo	of Oil and Gas of the West Virgreeable by law. Violations of recement action. of law that I have personally ments thereto and that, based eve that the information is transation, including the possibility. Sarah Baughman rvisor- Permitting	ginia Department of Enviro any term or condition of the examined and am familiar on my inquiry of those are, accurate, and complete ity of fine or imprisonment. Octobra	with the information submittee individuals immediately response. I am aware that there are second or public wealth of Pennsylvania	and that the applicable and on this ensible for aignificant
My commission expires	February 23, 2	RICH My Com	L. Waiker, Notary Public shill Two., Greene County mission Expires Feb. 23, 2015 ISYLVANIA ASSOCIATION OF NOTARIES	

L	EGEND
Property Boundary	Diversion (4:444111111111111111111111111111111111
Road = = = = = = = = = = = = = = = = = = =	Spring
Existing Fence — X — X — X —	Wet Spot
Planned Fence///	Drain Pipe with size in inches
Stream	Waterway \longleftrightarrow
Open Ditch	Cross Drain
Rock 455682	Artificial Filter Strip
North N	Pit: cut walls
Buildings	Pit: compacted fill walls
Water wells	Area for Land Application of Pit Waste
Drill site	
Proposed Revegetation Treatment: Acres Disturbed Less th	an 1 acre Prevegetation pH
0.0	
• • • • • • • • • • • • • • • • • • • •	cre (500 lbs minimum)
_{Mulch} hay or straw 2	re
	ve .
Seed	Mixtures
Area I	Area II
Seed Type lbs/acre	Seed Type lbs/acre
Tall Fescue 40	Tall Fescue 40
Landino Clover 5	Landino Clover 5
Attach: Drawing(s) of road, location,pit and proposed area for land applied	eation.
Photocopied section of involved 7.5' topographic sheet.	
Plan Annuared hur	
Plan Approved by:	Gas Gas
Comments:	and Gas
	Office of SII and Class
	WC1 88 2913
Title:	Date:
	WWD BRITTE TO COLON
Field Reviewed? () Yes (Date: No EEVIND MEASURE Profession
	Last A.







Sarah Baughman Permitting Supervisor 200 Evergreene Drive Waynesburg, PA 15370 (724) 627-1229

(CNEGAS

August 1, 2013

West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304

Plugging Permit Application - Well "L-48"

Dear Sir or Madam,

Enclosed is the plugging permit application for the above referenced CBM well.

If any further information or correspondence is required, please contact me at (724)627-1229 or SarahBaughman@consolenergy.com.

Sincerely,

Sarah Baughmar

DRICE OF OIL BAS GOS OFFICE OF OIL BAS GOS

WV Department of Environmental Protection